



TRAKA Touch Specifications

General

- Keys are readily available 24/7
- Access by authorised users only
- 7" touch screen
- Full audit trail of all users and key transactions
- Easy access via PIN code, card reader and biometric fingerprint reader
- Battery backup
- Soft close-down with no data loss in the event of long term failure

Standalone


- Cutting edge key management solution that operates entirely of your IT system
- Standalone 'plug and play' system
- No network, PC or external connection required
- USB port for import/export of reports via memory stick
- Automatic data back up to removable SD card

Networked

- Full network capability and management through TrakaWeb
- Centralised administration and reporting

TRAKA-TOUCH SPECIFICATIONS M/S/L

- Power supply: Input 100-240V AC, Output: 15V DC
- Battery backup: (S): DC12V-4.2Ah and (L,M): 12V- 7Ah
- Power consumption: 35W max
- Cabinet material: Zintec steel
- Colour options: Black fine texture (TLP-F652-T)
- Door material: clear polycarbonate or solid metal
- Operating temp: Ambient, for indoor use only (-5 °C to +50 °C at 95% non-condensing relative humidity)
- Mounting Wall
- Receptor strip support: Locking, non-locking, with buttons, without buttons, double density (20 positions per strip), combination of both - all with Tri-colour LED's
- Users per system: 25,000 (more on request)
- Communications: Ethernet (TCP/IP) 10/100 MB
- Reader interface: Clock/data, Wiegand, Serial (RS232/TTL), PIN only
- Alarm interface: 3x1A/24V dry contact relay contacts for connecting to alarms, access control systems, CCTV etc.
- Certifications: CE, FCC, CSA, ROHS



The whole Traka Touch range; The L-Touch, S-Touch and M-Touch, are managed and monitored securely On Traka Web.

For more information on Traka and the benefits of intelligent key cabinets, Please contact Casino Locking Systems. By mail: info@casinolock.com or by phone: +31(0)10 228 16 51

